

# FE130MD

**Cerradura electromagnética de 2x3.000N, monitorizada, para superficie.**

## Description

---

Eco Line double magnetic lock 2 x 300 kgf. Surface mounted, monitored.

## Application

---

Medium Security applications for internal or external double leaf doors.

## Reliable Security

---

This state of the art electro-magnetic locking device provides positive, instantaneous door control. Filler plates, angle brackets, and other mounting adapters are available to satisfy a wide range of door and frame types and conditions.

## Safe operation

---

Our locking devices are inherently fail-safe, releasing instantly upon command or loss of power. With no moving parts to wear, stick or bind; no mechanical linkages to bend or break; and no bolt travel time or misalignment to raise concern, both unlocking and locking are always accomplished with ease and efficiency. As those electromagnetic locking devices function independently of any mechanical type locks, magnetic locks will not jeopardize the fire door rating of an opening.



## Details

---

- 2 x 300 Kgf holding power
- Monitored changeover
- No residual magnetism
- 12/24 V dc jumper selectable operation
- Mounts easily with a minimum of tools

# FE130MD

Cerradura electromagnética de 2x3.000N, monitorizada, para superficie.

## Technical specifications

---

### General

Tipo de producto	Cerradura magnética
------------------	---------------------

---

### Fuerza de retención

Fuerza de retención kgf (kilogramos de fuerza)	300 kgf x 2
---	-------------

---

Fuerza de retención N (Newtons)	3000 x 2
------------------------------------	----------

---

### Supervisión y estado

Supervisado	Si
-------------	----

---

Indicador LED	Si
---------------	----

---

Interruptor de estado de la puerta	No
------------------------------------	----

---

Cambio monitorizado	Si
---------------------	----

---

Sensor de enlace magnético	Si
----------------------------	----

---

### Eléctrico

Valor de la fuente de alimentación	12 / 24 VDC
------------------------------------	-------------

---

Consumo de corriente	440 mA (+/- 2,5% @ 13,5 V) x 2
----------------------	--------------------------------

---

### Físico

Dimensiones físicas	500 x 47 x 26 mm (W x H x D)
---------------------	------------------------------

---

Color	Aluminio
-------	----------

---

