Product data sheet



AS610

Outdoor siren with single amber beacon, polycarbonate cover

Application

The AS600 series is a range of high quality installer-friendly sirens with a sound output of 120 dB @ 1 m, that meets today's security and environmental requirements. The sirens are housed in attractive covers made from UV-proof and impact resistant 3.5 mm polycarbonate. They have a foam-resistant steel inner cover for the ultimate protection and offer a choice of strobe colours.



Details

- Attractively shaped housings
- High-quality dual skinned design
- 120 dB @ 1 m sound output
- Lead acid battery back-up for up to 7.2 Ah
- Steel inner cover with foam resistant grid
- Fully potted electronics
- Pry-off and opening tamper detection
- Strobe flash light
- Self detection of cable cutting or tampering
- Automatic polarity selection
- Independent hold-off for both : beacon & siren
- Choice of cut-off time

AS610

Outdoor siren with single amber beacon, polycarbonate cover

Technical specifications

General	
Accessory group	Siren
Туре	Outdoor siren
Sounder output (dB @ distance)	120 dB at 1 m (typical)
Flash specification	s
Light output	100,000 peak lumens
Flash frequency	60 flashes/minute
Electrical	
Operating voltage	13 to 14.2 V
Current consumption	600 mA
	25 mA (standby current)
	110 mA (operating current)
Physical	
Physical dimensions	210 x 300 x 87 mm (W x H x D)
Net weight	2669 g
Material	Polycarbonate
Environmental	
Operating temperature	-25 to 55 °C



